Appl. No. 10/605,086 Amdt. Dated March 1, 2005 Reply to Office action of December 9, 2004

## Amendments to the claims:

This listing of claims will replace the prior version, and listing, of claims in the application:

Claim 1 (currently amended): A method of solubilizing diterpenes such as forskolin, isoforskolin, 7-deacetylforskolin[[;]], their congeners, analogs and derivatives of natural or synthetic origin, individually or as mixtures, in water comprising the following operations: suspending Forskolin, isoforskolin or 7-deacetylforskolin in water containing a complexing/solubilizing cyclodextrin agent; agitating at room temperature and filtering to obtain a clear aqueous solution containing 0.09% to 6% of forskolin, isoforskolin or 7-deacetylforskolin.

Claim 2 (currently amended): The diterpenes <u>forskolin</u>, <u>isoforskolin</u>, <u>7-deacetylforskolin</u> of Claim 1 <u>may be</u> obtained from a plant source <del>such as but not limited to</del> Coleus forskohlii.

Claim 3 (currently amended): The A method of as claimed in claim 1 wherein the complexing/solubilizing agent used is chosen from  $\alpha$ -,  $\beta$ -,  $\gamma$ -cyclodextrins or their derivatized products, such as randomly methylated  $\beta$ -cyclodextrin (RAMEBCD), 2-hydroxy-propyl- $\beta$ -cyclodextrin (HPBCD), hydroxypropyl  $\gamma$ -cyclodextrin (HPGCD) preferably using randomly methylated  $\beta$ -cyclodextrin (RAMEBCD) as the complexing/solubilizing agent.

Claim 4 (currently amended): A method of preparing a clear <u>aqueous</u> solution containing 0.09% to 6% diterpenes <u>such as</u> forskolin, isoforskolin, <u>7-deacetylforskolin</u> their analogs or derivatives by mixing the-compound with 5%-70% cyclodextrin or cyclodextrin derivatives <u>as claimed in claim 3 in a solvent wherein the solvent is chosen from ethanol, acetone, ethyl acetate, methylene chloride under agitation to solubilize, followed by removal of the solvent and suspending and dissolving the residue in water.</u>

Claim 5 (currently amended): A method, as claimed in claim 1, wherein the active compound is recrystallized from an organic solvent selected from ethanol, acetone, ethyl acetate, methylene chloride or other solvent, followed by complexation with cyclodextrin or cyclodextrin derivatives claimed in claim 3 by forming a suspension of the materials in water followed by agitation at room temperature for 40 4 to 160 hours and filtration to form a clear aqueous solution.

Claim 6 (currently amended): A method, as claimed in claim 1, of preparing a clear aqueous formulation in solution or solid form, containing 0.09%-6% diterpenes such as forskolin, <u>Isoforskolin</u>, <u>7-deacetylforskolin</u> its analogs, congeners, or derivatives suitable for ophthalmic, topical and systemic uses.

Appl. No. 10/605,086 Amdt. Dated March 1, 2005 Reply to Office action of December 9, 2004

Claim 7 (currently amended): <u>Use of [[T]]the</u> formulation of Claim 6 may be compounded into capsules, tablets, food products, injectables, patches, ointments, gels, emulsions, creams, lotions, dentrifices, sprays, drops or other dosage forms including sustained release forms, for human or veterinary use.

Claim 8 (original): A method of use of the formulation of claim 6 alone or in combination with antioxidants and/or anti-glaucoma agents, in lowering intraocular pressure in animals or human subjects presenting with ocular hypertension or glaucoma.

Claim 9 (original): A method of use of the formulation of claim 6 alone or in combination with polyvinyl pyrrolidone, hyaluronic acid and derivatives, in animals or human subjects presenting with dry eye syndrome.

Claim 10 (currently amrnded): A method of use of the formulation of claim 6 in preparing water soluble molecular and receptor probes for research and commercial purposes.

Claim 11 (currently amended): A method of use of the formulation of claim 6 to manifest the health benefits of diterpenes such as forskolin, <u>isoforskolin and 7-deacetylforskolin</u> its analogs, congeners and derivatives, in humans and animals, wherein the mode of administration is topical, percutaneous, intravenous, sublingual or oral.

Claim 12 (currently amended): <u>Use of [[T]]</u> the material of claim in 1 is useful in delivering formulations of Forskolin and related diterpenes as diet drinks for management of obesity, weight management and improving lean body mass, hypertension, allergy among the known applications of forskolin.

Claim 13 (currently amended): <u>Use of [[T]] the material of claim in 1 is useful</u> in delivering water soluble formulations of forskolin, <u>isoforskolin or 7-deacetylforskolin and related diterpenes as comprising</u> emulsions, sprays, solutions or aerosols, or cosmeceutical applications <u>such as collagen boosting activity</u>, anti-wrinkle properties, cellulite control, melanocyte modulator.

Claim 14 (currently amended): <u>Use of [[T]]the</u> material of claim in 1 could be used in combination with antioxidants, lipase inhibitors, other anti-obesity products including comprising hydroxycitric acid, garcinol, and their salts, vasoirrigators, other known collagen boosters, anti-inflammatory agents, phosphodiesterase inhibitors, among others.